

# **DUCTLESS MINI-SPLIT SYSTEMS**



## Fit more comfort into more places





### Superb energy savings

Mini-split systems are ENERGY STAR® certified, with products operating up to 27 SEER cooling efficiency and up to 10 HSPF heating efficiency—providing nearly 30% more energy savings than typical ducted central air conditioning systems!



### Easy on the ears

The mini-split indoor unit operates quieter than a whisper inside—and the outdoor unit is nearly as quiet to operate unnoticed in your neighborhood.



# Keep cozy in winter with "cold blow" prevention

Unlike conventional heat pumps, mini-split heat pumps use a cold blow prevention feature that slightly delays the indoor fan at the start of a cycle to make sure the air comes out warm to keep you cozy.



# Fits common electric wiring:

Units are available for common household current (115 V) or standard appliance current (208-230 V) to minimize wiring and installation costs.



# Right temperature for every room

With mini-split systems, you can set the temperature and humidity levels for each unit in each room, saving more energy and making you more comfortable than conventional central air systems.



#### Easy on the eyes

Thanks to a slim profile without bulky ductwork, mini-split indoor units look great and fit perfectly in less space.



## How it works for any space

Mini-split systems fit more spaces around your place. That's because they use a smaller outdoor unit—and slim wall-mounted indoor units—to fit the needs of a variety of situations and areas, whether used for dining, entertaining, working or sleeping.

#### Bedrooms and other areas

Adding comfort is easy for second bedrooms or hot or cold areas thanks to the flexibility of mini-split units.

For a single room, you can choose a single-zone mini-split to provide individualized comfort



For up to five rooms,

you can go with our multi-zone models and dial in distinct comfort multiple systems together to provide more comfort for



## Living room or family areas

The high capacity and silence of our wallmounted heat pump units are a perfect fit where more comfort is needed in these frequently used spaces.

## Dining room and kitchen

Now the spaces where you cook and eat can feel fresh and clean with advanced air filters that are the perfect ingredient for improving indoor air quality.

#### **Room addition**

A single-zone unit is ideal for sunrooms or other additions where an unsightly window unit or ductwork system doesn't work.



## **Comfort wherever you go**

Each mini-split indoor unit includes a wireless remote controller that has a built in temperature sensor. When the unique "I FEEL" function is activated, the system will satisfy the cooling or heating set point temperature required by that particular indoor unit wherever it is located.

# **Ductless Mini-Split System Specifications**

AFFINITY™ 21 TO 27 SEER HP MODELS							
OUTDOOR	INDOOR MODEL NUMBER	COOLING			HIGH HEATING 47 F		LOW HEATING 17 F
MODEL NUMBER		CAPACITY (BTUH)	EER	SEER	CAPACITY (BTUH)	HSPF	CAPACITY (BTUH)
DHPS09CSM42Q1	DHPS09NWM42Q1	9,000	14.5	27	9,800	9.0	5,800
DHPS12CSM42Q1	DHPS12NWM42Q1	12,000	12.8	25	13,000	9.0	8,000
DHPS18CSM42Q1	DHPS18NWM42Q1	18,000	12.0	21	19,200	9.8	12,000
DHPS24CSM42Q1	DHPS24NWM42Q1	24,000	12.0	21	24,600	9.2	15,500

AFFINITY™ 16 TO 22 SEER HP MODELS								
OUTDOOR MODEL NUMBER	INDOOR MODEL NUMBER	COOLING			HIGH HEATING 47 F		LOW HEATING 17 F	
		CAPACITY (BTUH)	EER	SEER	CAPACITY (BTUH)	HSPF	CAPACITY (BTUH)	
DHPM09CSM41Q1	DHPM09NWM41Q1	9,000	14.2	22	9,500	9.8	5,400	
DHPM09CSM42Q1	DHPM09NWM42Q1	9,000	14.2	22	9,800	9.2	5,500	
DHPM12CSM41Q1	DHPM12NWM41Q1	12,000	12.5	20	12,100	9.6	7,500	
DHPM12CSM42Q1	DHPM12NWM42Q1	12,000	12.0	20	13,000	9.2	7,600	
DHPM18CSM42Q1	DHPM18NWM42Q1	18,000	12.0	18	19,800	10.0	12,700	
DHPM24CSM42Q1	DHPM24NWM42Q1	21,400	12.0	18	23,000	10.0	15,000	
DHPM30CSM42Q1	DHPM30NWM42Q1	28,000	9.3	16	30,600	8.2	18,400	
DHPM36CSM42Q1	DHPM36NWM42Q1	33,600	8.2	16	36,400	8.2	20,600	

LX 16 SEER HP MODELS							
OUTDOOR MODEL NUMBER	INDOOR MODEL NUMBER	COOLING			HIGH HEATING 4	LOW HEATING 17 F	
		CAPACITY (BTUH)	EER	SEER	CAPACITY (BTUH)	HSPF	CAPACITY (BTUH)
DHMF09CSM42Q1	DHMF09NWM42Q1	9,000	10.2	16	9,000	8.5	5,300
DHMF12CSM42Q1	DHMF12NWM42Q1	12,000	9.8	16	12,000	8.5	6,800
DHMF18CSM42Q1	DHMF18NWM42Q1	18,000	11.1	16	19,200	8.0	12,000
DHMF24CSM42Q1	DHMF24NWM42Q1	22,000	10.0	16	26,600	9.5	18,600

м	
N.	
Y	EAR
	Limited
C	Limited empressor Warranty



Warranty for all models: 6-year limited warranty for compressor, 2-year limited warranty for parts.

OUTDOOR	INDOOR	COOLING			HIGH HEATING 47 F		LOW HEATING 17 F
MODEL NUMBER	MODEL NUMBER	CAPACITY (BTUH)	EER	SEER			
DHMF18CMM42Q1	(2) DHPM09NWM42Q1	17,500	8.5	16	19,000	8.2	12,400
DHMF18CMM42Q1	(1) DHPM09NWM42Q1 + (1) DHPM12NWM42Q1	17,500	8.5	16	19,000	8.2	11,400
DHMF24CMM42Q1	(2) DHPM09NWM42Q1 + (1) DHPM12NWM42Q1	26,000	8.2	16	29,000	8.2	17,000
DHMF24CMM42Q1	(3) DHPM09NWM42Q1	26,000	8.2	16	29,000	8.2	17,000
DHMF24CMM42Q1	(1) DHPM09NWM42Q1 + (2) DHPM12NWM42Q1	26,000	8.2	16	29,000	8.2	17,000
DHMF30CMM42Q1	(4) DHPM09NWM42Q1	29,000	7.3	16	30,400	8.2	16,500
DHMF30CMM42Q1	(1) DHPM09NWM42Q1 + (2) DHPM12NWM42Q1 + (1) DHPM18NWM42Q1	29,000	7.3	16	30,400	8.2	16,500
DHMF42CMM42Q1	(4) DHPM09NWM42Q1 + (1) DHPM18NWM42Q1	40,000	7.3	16	43,000	8.0	24,800



The Heating & Cooling Professionals Who C.A.R.E.

